TAPES AND MASKING PRODUCTS



Tapes and masking products... designed specifically for the professional auto refinisher.

From drawing board to body shop, all Norton tapes and masking products are tested and re-tested to establish new standards of performance that will save body shop pros time and money without sacrificing the highest degree of excellence.

Premium Masking Tape




SIZE	18mm (3/4")	36mm (1-1/2")	48mm (2")	CASE
	\bigcirc	\bigcirc	\bigcirc	
DESCRIPTION	636425-	636425-	636425-	
55m Roll	05838	-	_	48
55m Roll	_	36220	_	16
55m Roll	_	-	36219	12

Norton premium masking tape goes on easy, sticks fast and holds tight. It conforms easily to contours and to irregular surfaces and is resistant to temperatures up to 260°F for up to 1 hour. It exhibits no bleed-through, seepage or flaking and leaves no residue when removed.

- Easy-to-see tan color
- No bleed through
- Stays in place
- No curling edges or rollback

Fine Line Tape






Fine Line Tape adheres to and conforms easily to contours and irregular surfaces. This tape's unique thinness allows for minimum edge build-up and leaves no residue when removed. Resistant to temperatures up to 180°F.

- "Pucker-free" cornering
- Straight edges on long runs
- Stays in place
- No curling edges or rollback

Cloth Duct Tape



An industrial quality silver polyester cloth tape providing excellent adhesion to a wide variety of surfaces. Highly conformable and moisture resistant. Ideal for general purpose repair applications.



Premium Automotive Attachment Tape



SIZE	1/4" X 20 YDS	1/2" X 20 YDS	7/8" X 20 YDS	CASE
	\bigcirc	\bigcirc	\bigcirc	
DESCRIPTION	636425-	636425-	636425-	
Attachment Tape .045" Thick	05620	05621	05622	12


High-density gray foam tape coated with high strength acrylic adhesive on both sides with red polyethylene release liner is designed for bonding medium to large moldings and accessories. High strength acrylic adhesive provides superior adhesion to plastics, metal, and glass and painted vehicle surfaces.

- Used for attaching body side moldings, cladding, door edges, emblems, fascia rub strips, garnish moldings, interior trim panels, rocker panel moldings and pillar covers
- Instant pressure sensitive bonding
- Remains flexible at low temperatures
- Will not absorb moisture
- Conforms to irregular surfaces

Attachment Tape Adhesion Promoter




Molding Tape Adhesion Promoter is a liquid primer to improve the adhesion of acrylic foam attachment tape to exterior and interior trims involving injection molded and/or plastics (TPO, PPO, PP, PG, PC and ABS).



Automotive Attachment Tape




Ideal for mounting side moldings, emblems, trim parts, and other double-coated tape applications. The black color of the tape hides well from detection. Constructed with advanced adhesive system on a closed-cell urethane foam.





Automotive Polycoated Masking Paper



SIZE	6"	12"	18"	24"	36"	CASE
	0	0	0	0	0	
DESC.	076607-	076607-	076607-		076607-	
750' (boxed)*	05482	_	_		_	6
	-	05479	-		-	3
	_	-	05480		-	2
	-	_	_		05481	1
DESC.		636425-	636425-	636425-	636425-	
1000' (taped)*		77012	77018	77024	77036	1

*APPROXIMATE LENGTH

Norton Polycoated Masking Paper is the choice of automotive painters for providing protective aprons over adjoining areas during repaint operations. Protects against penetration or over-spray. Norton Masking Polycoated Paper is strong, yet flexible.

Overspray Sheeting



"Value" paintable overspray sheeting has a seam down the middle for easy centering.

		CASE
	0	
DESCRIPTION	636425-	
12' x 400'	06727	1
16' x 400'	06728	1

Blue Wrap Protective Plastic



		CASE
DESCRIPTION	636425-	
Self Adhesive Weather Barrier 36" x 100' (9 lbs.) 3 mil thick	05920	1
Seat Covers (125/roll) Non-Slip	05921	1
Wheel Maskers (50/roll) Paintable	05922	1
Floor Mats (125/roll) Non-Slip	05923	1

Self Adhesive Weather Barrier

- Clear film with built in UV inhibitors for interior protection
- Do not leave Blue Wrap in place for more than 30 days
- Do not expose to temperatures above 170° F
- Do not install on wet or damp surfaces

Blue Wrap Wheel Maskers

- Tri-layer plastic
- Paintable NO Flaking
- Fully covers both sides of the wheel
- Covers wheels up to 17"

Blue Wrap Seat Covers

- Full coverage from headrest to floor
- Will not slip or bunch up
- Protects seats from grease, dust and chemicals
- Dispenses easily from perforated roll

Blue Wrap Floor Mats

- Impervious to water, grease and chemicals
- Will not slip or tear
- Protects floor from dirt, grease and chemicals
- Dispenses easily from perforated roll
- Generous size: 16-1/2" x 21"

TAPES AND MASKING PRODUCTS

Blue Sheeting



FEATURES	BENEFITS
Tri-layer paintable sheeting	 Clings Easy to handle - fast application Clings after repositioning
Corona treated	 Paint won't flake off – eliminates use of paper Holds paint like paper
3-ply resin formula	Resists tearing
Plastic	 Resistant to solvents No bleed-through
Wide widths	One pass coverage Fast application increases productivity
Self-dispensing perforated box	 Easy for one person to dispense Protects sheeting from dust and dirt

With Norton Blue Sheeting, paint will adhere to the outside layer of plastic, eliminating paint flake-off, allowing for direct spray. Blue Sheeting features an easy-to-open fold pattern. All sizes come on a standard core to fit all current plastic masking dispensers, so one person can mask the vehicle alone. The cling of Blue Sheeting ensures the material adheres to the area that is to be protected. Blue Sheeting can be cut and painted along the critical edge, replacing paper in the shops. This tri-layer plastic is .4 mil thick.

SIZE	12' X 400'	14' X 350'	16' X 350'	20' X 350'	CASE
	0	0	0	0	
DESCRIPTION	636425-	636425-	636425-	636425-	
Blue Sheeting	03344	03697	03345	03723	1

Application Steps



Lay down a tape line along the critical edge. We recommend Norton Premium Masking Tape. Be sure the entire vehicle is dry. Blue Sheeting is not to be used on a wet surface. Cover the vehicle completely with Blue Sheeting. "Spray This Side" is clearly marked in English and Spanish to indicate the correct paintable surface. The Blue Sheeting will CLING to the vehicle and hold in place. Blue Sheeting can be repositioned and it will maintain its cling. One person can cover the vehicle in less than 2 minutes. Use a safety razor to cut away the excess material. Cut right along the tape line. If working along a door or hood, the excess material can be folded in the door or laid over the motor for extra protection. There is no need to use paper next to the critical edge. Blue Sheeting will cling solidly to the vehicle and will not flake paint, even when hit with a blast of air. Tape the Blue Sheeting in place to the tape line laid down in step 1. The vehicle is ready to paint. You don't have to waste time masking the critical edge with paper. Blue Sheeting does it all for you: clings to the vehicle, paint will not flake off and protects the entire vehicle from overspray. All in one easy to use product.

